



Hotel Mode


All recent Aquavision televisions have a “Hotel Mode” feature that allows you to set the following functions.

- Maximum volume
- Initial Volume
- Initial Channel
- Initial Picture Status Memory (PSM)
- Initial Sound Status Memory (SSM)

Screen Version		
S4A	Set Volume to 0, then press 9, 8, 7, 6	
S4B	Press INFO STILL SLEEP MUTE, and then ENTER.	
Genesis	Set Volume to 0, then press 9, 8, 7, 6	
Genesis2	Press SOURCE, then press 2580	
Nexus/Nexus Lite Nexus2/Nexus Lite2		
Pinnacle		
Elite 4K		
Genesis ATSC	Press SOURCE, then press 2233	
Nexus ATSC		
Pinnacle ATSC		

On the Master remote press the buttons as shown above. EG for a Nexus, press SOURCE, then numbers 2580.

This will bring you to the Factory settings menu as follows, or similar:




For Hotel mode, scroll down to FUNCTION and press enter. On the next page scroll down to Hotel mode and again, press enter.

To Exit this mode, Press MENU button.


1. Enter Main Menu

Enter the Main Menu subpage Feature.




2. Enter The Lock Item

Enter the Lock Item using the password 0000 soft-key .



3. Enter The Hotel Mode Item

Choose the hotel mode item using OK/Right soft-key. If you want export the Hotel setting data please open the item Hotel lock and change the setting.



HEAD OFFICE AND FACTORY
 Aquavision
 Unit 7 Riverpark, Billet Lane
 Berkhamsted, Hertfordshire
 HP4 1HL
 United Kingdom
 +44 [0]1442 872665


AMERICAN OFFICE
 Aquavision, Inc.
 #197
 5 Southside Drive, Suite 11
 Clifton Park, NY 12065
 America
 +1 800 524 1804



sales@aquavision.tv
 sales@aquavision.us

www.aquavision.tv
 www.aquavision.us

4. [On Nexus2, Genesis2, Genesis ATSC, Pinnacle and Pinnacle ATSC models, you can also export the tuning database from the first television and upload it to all subsequent televisions as follows]




5. Export Hotel DB

Choose Data Base Export item using Right soft-key, Then the “OK” Item value will display. It will show export OK). (The DB have channel data, user setting data of main menu, hotel setting data)




6. Check the DB

Push the USB device into your PC and you will see a folder named “CV_512” Under this folder you will see a file “FlashData_S2T502_1.bin”. It means that the DB is exported OK now.




7. Enter Import Hotel DB Menu

Push the USB device (With the CV_512 folder) into your main board. Do the step 1,step 2 and 3 ,4into the hotel menu.Choose the Database import item using Right soft-key. Then the TV will show the DataBase Import menu.



7. Import Hotel DB

As you can see, Choose the DB which you want to import using Right soft-key. When it's OK the TV will restart.



HEAD OFFICE AND FACTORY
 Aquavision
 Unit 7 Riverpark, Billet Lane
 Berkhamsted, Hertfordshire
 HP4 1HL
 United Kingdom
 +44 [0]1442 872665

AMERICAN OFFICE
 Aquavision, Inc.
 #197
 5 Southside Drive, Suite 11
 Clifton Park, NY 12065
 America
 +1 800 524 1804



sales@aquavision.tv
 sales@aquavision.us

www.aquavision.tv
 www.aquavision.us